Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
u	2	("0461411") PN.	USPAT; USOCR; JPO; DERWENT	OR	OFF	2005/07/06 10:45
L2	88	mino-tetsuya.in.	USPAT; JPO; DERWENT	OR	ON	2005/07/06 10:45
L3	8	2 and ((ion adj milling) with ((pole adj tip) or (pole adj layer)))	USPAT; JPO; DERWENT	OR	ON	2005/07/06 10:45
L4	0	3 and @ad<"19971015"	USPAT; JPO; DERWENT	OR	ON	2005/07/06 10:45
S1	825	29/603.11,603.13-603.16,603.18. ccls.	USPAT; JPO; DERWENT	OR	ON	2005/07/06 10:36
S4	5300	427/127,128.ccls.	USPAT; JPO; DERWENT	OR	ON	2005/02/10 08:19
S5	594	451/4,51.ccls.	USPAT; JPO; DERWENT	OR	ON	2005/02/10 08:19
S6	4792	360/121,122,126,317.ccls.	USPAT; JPO; DERWENT	OR	ON	2005/07/03 08:30
S38	1300	204/192.32,192.33,192.35.ccls.	USPAT; JPO; DERWENT	OR	ON	2005/07/03 08:24
S39	1633	204/192.32-192.35.ccls.	USPAT; JPO; DERWENT	OR	ON	2005/07/03 08:25
S40	449	204/192.34:ccls.	USPAT; JPO; DERWENT	OR	ON	2005/07/03 08:25
S41	247	(ion adj milling) with ((pole adj tip) or (pole adj layer))	USPAT; JPO; DERWENT	OR	ON	2005/07/06 10:45
S42	246	(ion adj milling) with (magnetic adj layer)	USPAT; JPO; DERWENT	OR	ON	2005/07/03 08:26
S43	27	S41 and S42	USPAT; JPO; DERWENT	OR	ON	2005/07/03 08:26
S44	1	S40 and S43	USPAT; JPO; DERWENT	OR	ON	2005/07/03 08:26

S45	4	("4208241"   "4267013"   "6047462"   "6591480").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/03 08:29
S46	159	S41 and 360/121,122,126,317. ccls.	USPAT; JPO; DERWENT	OR	ON	2005/07/03 08:30
S47	81	S41 and 29/603.11,603.13-603. 16,603.18.ccls.	USPAT; JPO; DERWENT	OR	ON	2005/07/03 08:30
S48	44	S46 and S47	USPAT; JPO; DERWENT	OR	ON	2005/07/03 08:30
S49	2	S40 and S48	USPAT; JPO; DERWENT	OR	ON	2005/07/03 08:30
S50	3	("5116719"   "5168409"   "5200056").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/03 08:32
S51	146	("5438747").URPN.	USPAT	OR	ON	2005/07/03 08:32
S52	21	("5200056").URPN.	USPAT	OR	ON	2005/07/03 08:35
S53	88	mino-tetsuya.in.	USPAT; JPO; DERWENT	OR	ON	2005/07/03 08:35
S54	8	S41 and S53	USPAT; JPO; DERWENT	OR	ON	2005/07/03 08:36
S55	4	S42 and S53	USPAT; JPO; DERWENT	OR	ON	2005/07/03 08:36
S56	8	S54 or:S55	USPAT; JPO; DERWENT	OR	ON	2005/07/03 08:36
S57	4	("4814921"   "5438747"   "6233116"   "6404601").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/03 08:36
S58	17	("4639808"   "4639811"   "5270895"   "5285340"   "5452163"   "5452164"   "5508867"   "5515221"   "5606478"   "5621592"   "5661621"   "5739991"   "5812350"   "5850325"   "5872691"   "6151193"   "6163442").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/03 08:37
S59	53	("5285340").URPN.	USPAT	OR	ON	2005/07/03 08:42
S60	8	("5285340"   "5452164"   "5649351"   "5668689"   "5802700"   "5805391"   "5831801"   "6018862").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/03 08:51

S61	2	("6188544").PN.	USPAT; USOCR; JPO; DERWENT	OR	OFF	2005/07/03 08:51
S62	516	216/22.ccls.	USPAT; JPO; DERWENT	OR	ON	2005/07/03 08:51
S63	2	("5673163"   "5938941").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/03 08:53
S64	14	(("5673163") or ("5938941") or ("5639509") or ("5452164") or ("5878481") or ("6320725") or ("4681813")).PN.	USPAT; USOCR; JPO; DERWENT	OR	OFF	2005/07/03 08:53
S65	2	("5315469"   "5493464").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/03 08:56
S66	29	("5639509").URPN.	USPAT	OR	ON	2005/07/03 08:56
S67	19	(etch\$3 adj rate) same (((gap or insulat\$3) adj layer) with (magnetic adj (layer or material)))	USPAT; JPO; DERWENT	OR	ON	2005/07/03 09:05
S69	6	S67 and @ad<"19971015"	USPAT; JPO; DERWENT	OR	ON	2005/07/06 10:45
S70	5	(gap adj layer) near ((silicon adj dioxide) or (tantalum adj oxide) or (silicon adj cardide) or (aluminum adj nitride))	USPAT; JPO; DERWENT	OR	ON	2005/07/03 09:09
S71	13	((pole adj layer) or (pol adj tip)) near (FeN or NiFe)	USPAT; JPO; DERWENT	OR	ON	2005/07/03 09:10
S72	0	S70 and S71	USPAT; JPO; DERWENT	OR	ON	2005/07/03 09:10
S73	18	S70 or S71	USPAT; JPO; DERWENT	OR	ON	2005/07/03 09:11
S74	10	S73 and @ad<"19971015"	USPAT; JPO; DERWENT	OR	ON	2005/07/03 09:11



Home | Login | Logout | Access Information | Alerts |

## Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((((magnetic head) <and> gap <and> pole <and> fen)<in>metadata)) <and>..." Your search matched 1 of 1189536 documents.

☑ e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

- » View Session History
- » New Search

» Key

IEEE JNL IEEE Journal or

IEE Journal or IEE JNL

Magazine

Magazine

IEEE CNF

**IEEE Conference** Proceeding

IEE CNF IEE Conference

**Proceeding** 

IEEE STD

IEEE Standard

Modify Search

 $\square$ 

((((magnetic head) <and> gap <and> pole <and> fen)<in>metadata)) <and> (pyr >= 1

Check to search only within this results set

Display Format: @ Citation @ Citation & Abstract

1. Writing performance of narrow gap heads made with sputtered laminated FeN ma Oe coercivity media

Hu, H.L.; Vo, L.; Nguyen, T.; Robertson, N.; Re, M.; Jahnes, C.; Magnetics, IEEE Transactions on

Volume 30, Issue 6, Nov 1994 Page(s):3870 - 3872

AbstractPlus | Full Text: PDF(232 KB) | IEEE JNL

Help Contact Us Privacy &:

@ Copyright 2005 IEEE -

indexed by Minspec